



Bibliography



BIBLIOGRAPHY

BOOKS

- Baddeley, A. D. (1990). Human memory: Theory and practice. Boston, MA: Allyn and Bacon.
- Bompa, T. O., and Calcina, o. (1994). Theory and methodology of training : the key to athletic performance (3rd ed.). Dubuque, iowa: kendall/hunt pub. Co.
- Barrow, Harold H. and Rose Mary, Mc Gee (1974), A Practical Approach to Measurement in Physical Education, Philadelphia: Lea and Febiger.
- David H. Clarke and H. Harrison Clarke, (1970) Advanced Processes in Physical Education Recreation and Health, Englewood Cliffs, N.J. Prentice Hall., Inc.
- DeGangi, Georgia and Porges, Stephen. (1990). Neuroscience Foundations of Human Performance. Rockville, MD: American Occupational Therapy Association Inc.
- Dhiman, O.P. (1987), Foundation of Education, Delhi: Atmarmand Sons.
- Dick, Frank W., (1992), Sports Training Principles, Cambridge, University Press.
- Doherty Kenneth J, (1976). Modern Track and Field, Englewood Cliffs, New Jersey:Prentice Hall Inc.P. 87
- Eva Lurie Weinerb, (1984). Anatomy & Physiology, London: Addison Weseley Publishing Company, P.394.
- Frank W. Dick, (1992), Sports Training Principles, Cambridge, University Press
- Gleim (1993) cited by Green S. and Dowson B,(2002) Measurement of Aerobic Capacity in Humans, University of Western Australia
- Green S. and Dowson B,(2002) Measurement of Aerobic Capacity in Humans, University of Western Australia.

- Hardayal Singh, (1991). Science of Sports Training, New Delhi: D.V.S. Publications,P.130.
- Jackson, Andrew S., and Ted A. Baumgartner (1987). Measurement for Evaluation in Physical Education and Exercise Science, 3rd ed; Dubeque, Iowa: W.Mc. Brown Publishers, P. 11.
- Kapur, N and M. Batiga,(1994). Elements of Health Education, New Delhi: Pitambar Publishing Company Private Limited, P. 2.
- Kinsbourne, M. & Hicks, R.E., (1978). Functional cerebral space: a model for overflow, transfer, and interference effects in human performance. A tutorial review. In Jean Requin (ed.), New Jersey, Lawrence Erlbaum Associates publishers.
- Laurence E. Morehouse and Augustus T.Miller, (1967). Physiology of Exercise, Saint Louis: The C.V.Mosby Company, P. 139
- Lerner, Janet & Kline .F., (2006). Young children with learning disabilities. In learning disabilities and related disorders: Characteristics and teaching strategies (pp 220-263). Boston: Houghton Mifflin Company.
- Lezak, M.D.(1995). Neuropsychological Assessment (3rd ed.) New York, Oxford University Press.
- Posner, M. I. (1994). Attention in cognitive neuroscience: An overview. In M. Gazzaniga (Ed.), The cognitive neurosciences (pp. 615-624). Cambridge, MA: MIT Press.
- Rex Hazeldine (1989), Fitness for Sport, New York: The Rfu Guide to Fitness
- The American Heritage Dictionary of the English Language, Fourth Edition: Houghton Mifflin, 2000 – ISBN 0618082301, 9780618082308

JOURNALS

- Abbas Ali Vafaei , Maziar Mohammad Akhavan , Mitra Emami , Bijan Saddighi Moghaddam and Ali Rashidy Pour (2009). Evaluation the effects of walking, voluntary running and forced swimming on acquisition and retrieval of spatial memory in Rat. *Suppl. 11*, 1-198. <http://www.jssm.org>
- Active Gay Mormon (2010). The Importance of Being Physically Fit .active gaymormon.blogspot.in/2010/03/html
- Adlard, P.A., Cotman, C.W. (2004). Voluntary Exercise protects against stress-induced decreases in brain-derived neurotrophic factor protein expression. *''Neuroscience''* 985-992.
- Amir Sarshin ,ShahlaHojjat, Seyed Sadreddin Shojaedin, Ali Abbasi (2012).Effect of ten weeks Strength training (ST) and Aquatic balance training (ABT) on dynamic balance in inactive elder males. *Annals of Biological Research*, 2012, 3 (2):850-857. ISSN 0976-1233.
- Angevaren, M., Aufdemkampe .G., Verhaar .H., Aleman .A., & Vanhees .L., (2008). Physical activity and enhanced fitness to improve cognitive function in order people without know cognitive impairment. *Cochrane Database of Systematic Reviews*, 1, 1Y104.
- Anderson, BJ, Rapp DN, Baek DH, McCloskey DP, Coburn-Litvak PS, Robinson JK (2000). Exercise influences spatial learning in the radial arm maze. *Physiology Behav*70: 425–429.
- Arpitha Jacob, Crystal, D. D'Souza, S. Sumithra, Sandhya Avadhani, Chaya Mayasandra Subramanya, Krishnamachari Srinivasan(2011). Aerobic Fitness and Cognitive Functions in Economically Underprivileged Children Aged 7-9 Years: A preliminary Study from South India. *International Journal of Biomedical Science* 7(1), 51-54, Mar 15, 2011
- Arazi H and Asadi A (2011). The effect of aquatic and land plyometric training on strength, sprint, and balance in young basketball players. *Journal Of Human*

- Audrey, F., Manley .M.D., M.P.H. Surgeon General (Acting 1996). Physical Activity and Health A Report of the Surgeon General Executive Summary U.S. Department of Health and Human Services.
- Bhoomika R Kar, Shobini L Rao and B A Chandramouli (2008). Cognitive development in children with chronic protein energy malnutrition. Behavioral and Brain Functions 2008, 4:31 doi:10.1186/1744-9081-4-31 2008 Kar et al;BioMed Central Ltd.
- Blair, S. N. (1993). Physical Activity, Physical Fitness, and Health." Research Quarterly for Exercise and Sport 64(4):365–376.
- Blumenfeld, RS, Ranganath, C.(2007). Prefrontal cortex and long-term memory encoding: an integrative review of findings from neuropsychology and neuroimaging.Neuroscientist.13 (3):280-91. Review.PMID:17519370
- Bompa, T. O., and Calcina, o. (1994). Theory and methodology of training : the key to athletic performance (3rd ed.). Dubuque, iowa: kendall/hunt pub. Co.
- Brian H. Wrotniak, PT, PhD, Leonard H. Epstein, PhD,Joan M. Dorn, PhD, Katherine E. Jones, Valerie A. Kondilis (2006).The Relationship Between Motor Proficiency and Physical Activity in 8-10 years old Children.
- Buffalo .N.Y.,(2010). Physical Activity in Children Linked to Motor Abilities Pediatrics journal
- Burt LA, Greene DA, Ducher G, Naughton GA. (2012).Skeletal adaptations associated with pre-pubertal gymnastics participation as determined by DXA and pQCT: J Sci Med Sport. 2012 Aug 27. PMID:22951266
- Burns, AS and Lauder, TD. (2001). Deep water running: an effective non-weight bearing exercise for the maintenance of land-based running performance, Milit Med 166: p: 253 – 258.

Byrd and Andrea(1999). "Biology 202, Serotonin and Its Uses. First Web Reports On Serendip". ([http://serendip.brynmawr.edu/ bb/ neuro /neuro99 /web1/ Byrd.html](http://serendip.brynmawr.edu/bb/neuro/neuro99/web1/Byrd.html)).

Caterina Rosano, Vijay .K., Venkatraman, Jack Guralnik, Anne .B., Newman, Nancy .W., Glynn, Lenore Launer, (2010). An investigation of the psychomotor speed and functional brain MRI twoyears after completing a physical activity treatment. Association for psychological science, Psychosomatic Medicine 72:239-252.

Caspersen .C.J. Powell .K.E., and Christenson .G.M., (1985). Physical activity, exercise, and physical fitness: definitions and distinctions for health-related research. Public Health Rep. 1985 Mar-Apr; 100(2): 126–131. PMID: PMC1424733

Caterino, M.C., Polak, E.D.,(1999). Effects of two types of activity on the performance of 2nd, 3rd and 4th grade students on a test of concentration. Percept Mot Skills. 1999;89:245-248.

Centers for Disease Control and Prevention. (1997). Guidelines for school and community health programs: Promoting lifelong physical activity. Washington, DC: U.S. Department of Health and Human Services.

Chaddock, L., Hillman C.H., Buck, S.M., Cohen, N.J., in press(2010). Aerobic fitness and executive control of relational memory in preadolescent children. Med. Sci. Sports Exerc.

Christine Joubert (2004). The effect of water based programme on the motor proficiency of children with developmental co-ordination disorder. Faculty of Health Sciences at the University of Port Elizabeth Faculty of Health Sciences at the University of Port Elizabeth.

Churchill, J. D., Galvez, R., Colcombe, S., Swain, R. A., Kramer, A.F., & Greenough, W. T. (2002). Exercise, experience and the aging brain. Neurobiology of Aging, 23, 941–955.

- Cooke ,S.F., Bliss ,T.V., (2006). Plasticity in the human central nervous system. *Brain*. 129(pt 7):1659-1673.
- Colcombe, S. J., & Kramer, A. F. (2003). Fitness effects on cognitive function of older adults: A meta-analytic study. *Psychological Science*, 14, 125–130.
- Colin Boreham and Chris Riddoch(2001). The physical activity, fitness and health of children. *UK Journal of Sports Sciences* ISSN 0264-0414 print/ISSN 1466-447X online Ó 2001 Taylor & Francis Ltd <http://www.tandf.co.uk/journals>
- Conceicao, J. Brito , H. Louro , R. Fernandes , C. Silva, N. Magalhaes and V.M. Reis (2009). Physiological responses and energy expenditure during water cycling. *Journal of Sports Science and Medicine* (2009) Suppl. 11, 1-198.<http://www.jssm.org>
- Corbetta,M., Miezin FM, Dobmeyer S, Shulman GL, Petersen SE(1991).Selective and divided attention during visual discriminations of shape, color, and speed: functional anatomy by positron emission tomography. *J Neurosci*. 1991 Aug;11(8):2383-402.
- Cotman, C., Engesser-Cesar, C. (2002). Exercise Enhances and Protects Brain Function. *Exercise and Sports Sciences Reviews*. 75-79.
- Cotman, C. W., & Berchtold, N. C. (2002). Exercise: A behavioural intervention to enhance brain health and plasticity. *Trends in Neurosciences*, 25, 295–301
- D'Esposito M, Detre JA, Alsop DC, Shin RK, Atlas S, Grossman M (1995).The neural basis of the central executive system of working memory. *Nature* 378:279 –281.
- DiPrampere,P.E.(1986).The energy cost of human locomotion on land and in water. *International Journal of sports medicine*,7,55-72.
- D. James Surmeier(2007). Dopamine and working memory mechanisms in prefrontal cortex 5–315, 303 E. Chicago Ave, Chicago, IL 60611,USA. *J Physiol* 581.3 (2007) p 885.

- De Souza, Andreia Silveira Pinto, Stephanie Santana, Kanitz, Ana Carolina Rodrigues, Bruno Mastrascusa, Alberton, Cristine Lima. da Silva, Eduardo Marczwski .Kruel, Luiz Fernando Martins(2012). Physiological comparisons between aquatic resistance training protocols with and without equipment. *Journal of strength and conditioning research*.
- Dub M-C, Massicotte G,(1997). Trudeau F. Time course of brain glutamate receptors binding following exercise in rats. *Can J Appl Physiol*. 1997;22:14P.
- Dustman, R.E., Ruhlning, R.O., Russell E.M., Shearer, D.E., Bonekat, W., Shigeoka, J.W., Wood, J.S., Bradford, D.C. (1983). Aerobic Exercise Training and Improved Neuropsychological Function of Older Individuals. "Neurobiology of Aging". 35-42.
- Erickson, K.I., Voss, M.W., Prakash, R.S., Basak, C., Szabo, A., Chaddock, L., Kim, J.S., Heo, S., Alves, H., White, S.M., Wojcicki, T.R., Mailey, E., Vieira, V.J., Martin, S.A., Pence, B.D., Woods, J.A., McAuley, E., Kramer, A.F., (2011). Exercise training increases size of hippocampus and improves memory. *Proc. Natl. Acad. Sci. USA*108, 3017–3022. PMID:21282661.
- Etnier ,J.L, Nowell .P.M., Landers .D.M.,(2006). Sibley .B.A., A meta-regression to examine the relationship between aerobic fitness and cognitive performance. *Brain Res Rev*. 2006;30;52:119-130.
- François Trudeau, PhD, FACSM, and Roy J. Shephard, PhD(2009). Relationships of Physical Activity to Brain Health and the Academic Performance of Schoolchildren. DOI: 10.1177/1559827609351133. *American Journal of Lifestyle Medicine*.
- Gold ,S.M., Schulz .K.H., Hartmann .S., (2003). Basal serum levels and reactivity of nerve growth factor and brain-derived neurotrophic factor to standardized acute exercise in multiple sclerosis and controls. *J Neuroimmunol*. 2003;138:99-105.

- Giacobbi, P., Stancil, M., Hardin, B., & Bryant, L. (2008). Physical activity and quality of life experienced by highly active individuals with physical disabilities. *Adapted Physical Activity Quarterly*, 3, 189-207.
- Gomi, H. (2008). "Implicit online corrections in reaching movements". *Current Opinion in Neurobiology* 18 (6): 558–564. doi:10.1016/j.conb.2008.11.002
- Gupta, V. P., Sharma, T. R., & Jaspal, S. S. (1974). Physical activity and efficiency of mental work. *Perceptual and Motor Skills*, 38, 205-206.
- Hancock, S., & McNaughton, L. (1986). Effects of fatigue on ability to process visual information by experienced orienteers. *Perceptual and Motor Skills*, 62, 491-498.
- Herzholz, K., Buskies, B., Rist, M., Pawlik, G., Hollmann, W., Hess, W-D. (1987). Regional cerebral blood flow in man at rest and during exercise. *J Neurol.* 1987;54(suppl 1):9-13.
- Hillman, C.H., et al. (2009). The effect of acute treadmill walking on cognitive control and academic achievement in preadolescent children. *Neuroscience*. 31;159(3):1044-54.
- Hillman, C.H., Erickson, K.I., Kramer, A.F. (2008). Be smart, exercise your heart: exercise effects on brain and cognition. "Neuroscience: Nature Reviews" 59-65.
- Hoffman, B. M., Blumenthal, J. A., Babyak, M. A., Smith, P. J., Rogers, S.D., Doraiswamy, P.M., et al. (2008). Exercise fails to improve neurocognition in depressed middle-aged and older adults. *Medicine & Science in Sports & Exercise*, 40(7), 1344Y1352.
- Hoeger, W. K., Gibson, T., Moore, J., & Hopkins, D. (1992). A comparison of selected training responses to water aerobics and low impact aerobic dance. *National Aquatic Journal*, Winter Ed., 13-16.

- Ide, K, Pott, F, Van Lieshout, JJ, et al.(1998). Middle cerebral artery blood velocity depends on cardiac output during exercise with a large muscle mass. *Acta Physiol Scand*, 162, 13-20.
- Iris Niederer, Susi Kriemler, Janine Gut, Tim Hartmann, Christian Schindler, Jerome Barral and Jardena J Puder (2011). Relationship of aerobic fitness and motor skills with memory and attention in preschoolers (Ballabeina): *BMC Pediatrics* 2011, 11:34 doi:10.1186/1471-2431-11-34.
- Jemni, M., W,A, Sands, F, Friemel, M,H, Stone, and C,B, Cooke,(2006). Any effect of gymnastics training on upper-body and lower-body aerobic and power components in national and international male gymnasts. *Journal of Strength and Conditioning Research*, 2006, 20(4), 899-907.
- Jonathon Hardcastle (2007). The Importance Of Physical Fitness <http://www.articlecube.com/Article/The-Importance-Of-Physical-Fitness/33025>
- Jones - Gotman and Milner (1997).Design fluency;invention of nonsense drawings after focal cortical lesions.*Neuropsychologia*-15,653-674.
- Joseph ,D., Shaffer (2007).Studied the effects of a six-week land-based and aquatic-based plyometric training program on power, peak torque, agility, and muscle soreness. School of Physical Education Morgantown, West Virginia 2007.
- Justin S. Rhodes ,Henriette van Praag, Susan Jeffrey, Isabelle Girard, and, Gordon S. Mitchell,(2003). Exercise Increases Hippocampal Neurogenesis to High Levels but Does Not Improve Spatial Learning in Mice Bred for Increased Voluntary Wheel Running. The American Psychological Association, DOI: 10.1037/0735-7044.117.5.1006
- Kamenka Zivcic Markovic, Ines Cavar & Goran Sporis (2012). Changes in gymnasts Motor abilities during the nine month training process of female gymnasts 5-6 years of age faculty of Kinesiology University of Zagreb, Croatia Vol. 4 Issue 1: 45 – 54.

- Karin Van der Borght, Robbert Havekes, Thomas Bos, Bart J. L. Eggen, and Eddy A. Van der Zee(2007). Exercise Improves Memory Acquisition and Retrieval in the Y-Maze Task: Relationship With Hippocampal Neurogenesis. American Psychological Association.2007, Vol. 121, No. 2, 324 –334
- K. Kamalakkannan, N Vijayaragunathan, R Kalidasan,(2010).Aquatic training with and without weights and its impact on agility and explosive power among volleyball players. Br J Sports Med 2010;44:i16-i17 doi:10.1136 /bjsm.2010.078972.49.
- K. Kamalakkannan, N. Vijayaragunathan, R. Kalidasan (2010) Analysis of aquatic and land training on selected physical fitness variables among volleyball players. Recent Research in Science and Technology 2010, 2(4): 69-73 ISSN: 2076-506.
- K. Kamalakkannan, N.Vijayaragunathan and R.Kalidasan(2010). Influence of aquatic training on selected physical fitness variables among volleyball players. Indian Journal of Science and Technology. Vol. 3 No. 7ISSN: 0974- 6846
- Kempermann .G., van Praag .H., Gage F.H., (2000). Activity - dependent regulation of neuronal plasticity and self repair. Progr Brain Res. 2000;127:35-48.
- Kirk I. Erickson , Michelle W. Voss, Ruchika Shaurya Prakash, Chandramallika Basak, Amanda Szabo,Laura Chaddock, Jennifer S. Kim, Susie Heo, Heloisa Alves (2010). Exercise training increases size of hippocampus and improves memory. pnas.1015950108/-/DC Supplemental.
- Kirschbaum, C., Wolf, O.T., May, M., Wippich, W., Hellhammer, D.H. (1996). Stress- and Treatment-Induced Elevations of Cortisol Levels Associated with Impaired Declarative Memory in healthy Adults. "Life Sciences" vol.58, 1475-1483.
- Klintsova, A., Dickson, E., Yoshida, R., William, G. (2004). Altered expression of BDNF and its high-affinity receptor TrkB in response to complex motor learning and moderate exercise. Brain Research,1028,92-104

- Leung LY, Tong KY, Zhang SM, Zeng XH, Zhang KP, Zheng XX.(2006).Neurochemical effects of exercise and neuromuscular electrical stimulation on brain after stroke: a microdialysis study using rat model. *Neurosci Lett.* 2006 Apr 10-17;397(1-2):135-9. Epub 2005 Dec 27.
- Leandro Fernandes Malloy-Diniz; Suzana Silva Costa Abrantes; Lafaiete Moreira;Carlos Guilherme Schlottfeldt; Wanderlane Guimarães; (2011). Applicability of the Rey Auditory-Verbal Learning Test to an adult sample in Brazil. vol.33 no.3 Sa ISSN 1516-4446. ISSN 1516-4446
- Li .Y., et al. (2008). TrkB regulates hippocampal neurogenesis and governs sensitivity to antidepressive treatment. *Neuron* 59:399-412.
- L Seifert, D Chollet & BG Bardy(2007). Effect of swimming velocity on arm coordination in the front crawl: a dynamic analysis. *Journal of Sports Sciences*Volume 22, Issue 7, 2004. Version of record first published: 18 Feb 2007
- Lu B, Chow A.(1999). Neurotrophins and hippocampal synaptic transmission and plasticity. *Journal of Neuroscience Research.* 1999;58:76–87. [PubMed]
- Mahmood Soltani, Salehe Nornematolahi, Seyed Mahmood Hejazi,and Marzieh Ashkanifar (2012). The effect of aquatic aerobic training on quality of life and job satisfaction in Multiple Sclerosis(MS) patients. *Department of Physical Education, Islamic Azad University, Iran Research,* 2012, 3 (7):3627-3632.
- Maiza Ritomy, Fátima Aparecida Caromano, Clarice Tanaka, Antonio Luiz Rodrigues Júnior(2007). Effects of an aquatic versus non-aquatic respiratory exercise program on the quality of life in healthy aged persons. *Salusvita, Bauru,* v. 26, n. 1, p. 65-75, 2007.
- Martel GF, Harmer ML, Logan JM and Parker CB (2005). aquatic plyometric training increases vertical jump in female volleyball players. *Med. Sci. Sports exercises.* 37, 1814–1819.

- McAuley E, Kramer AF, Colcombe SJ.(2004). Cardiovascular fitness and neurocognitive function in older adults: a brief review. *Brain Behav Immun.* 2004;18(3):214–20.
- Morishima M, Harada N, Hara S, Sano A, Seno H, Takahashi A, Morita Y, Nakaya Y (2006). Monoamine oxidase A activity and norepinephrine level in hippocampus determine hyperwheel running in SPORTS rats. *Neuropsychopharmacology.* 2006 Dec;31(12):2627-38. Epub 2006 Jan 18.
- Nader P, Stone E, Lytle L, et al.(1999) Three-year maintenance of improved diet and physical activity: the CATCH cohort. *Child and Adolescent Trial for Cardiovascular Health. Arch Pediatr Adolesc Med* 1999;153:695--704.
- Nazafarin Mohammad , Hasan Karimi and Jalil Younesi (2009). The relationship between aerobic performance, muscular strength and body mass index with mood status profile of female students. *Journal of Sports Science and Medicine* (2009) Suppl. 11, 1-198 .<http://www.jssm.org>
- Nubia C. P. Avelar, Alessandra C. Bastone, Marcus A. Alcântara, Wellington F. Gomes (2010). Studied the effectiveness of aquatic and non-aquatic lower limb muscles endurance training in the static and dynamic balance of elderly people. *ISSN 1413-3555 v. 14, n. 3, p. 229-36.*
- Nikolaos chrysagis, angeliki douka, michail nikopoulos, foteini apostolopoulou, dimitra koutsouki(2009). Effects of an aquatic program on gross motor function of children with spastic cerebral palsy. *Biology of ology of exxercise.* D.o.i: <http://doi.org/10.4127/jbe.2009.0027>
- Olivier, J D A · Jans, L A W · Blokland, A · Broers, N J · Homberg, J R · Ellenbroek, B A · Cools, A R (2009). Serotonin transporter deficiency in rats contributes to impaired object memory. *Genes, brain, and behavior, Research Article.* PMID19740092.

- Paas, F., & Adam, J.J. (1991). Human information processing during physical exercise. *Ergonomics*, 34(11), 1385-1397.
- Pardo J.V., Fox P.T., Raichle M.E.(1991). Localization of a human system for sustained attention by positron emission tomography. *Nature*. 1991; 349:61–64. [PubMed]
- Patrick J., Smith M.A., James A., Blumenthal PhD., Benson M., Hoffman, PhD., Harris Cooper., PhD, Timothy A., Strauman PhD, Kathleen Welsh-Bohmer PhD, Jeffrey N., Browndyke PhD., and Andrew Sherwood PhD., (2010). Aerobic Exercise and Neurocognitive Performance: *Psychosomatic Medicine* 72:239-252
- Perrig-Chiello P., Perrig WJ., Ehrensam R., Staehelin HB., Krings F.(1998). The effects of resistance training on well-being and memory in elderly volunteers. *Age Ageing*. 1998;27:469-475.
- Peszek, Luan. “Why Gymnastics is Great for Kids” in Guide to Gymnastics. USA Gymnastics Website.
- Pereira A.C., Huddleston D.E., Brickman A.M., Sosunov A.A., Hen R., McKhann G.M., et al. (2007). An in vivo correlate of exercise-induced neurogenesis in the adult dentate gyrus. *Proceedings of the National Academy of Sciences of the United States of America*, 104(13), 5638Y5643.
- Plante, T. G., Chizmar, L., & Owen, D. (1999). The contribution of perceived fitness to physiological and self-reported responses to laboratory stress. *International Journal of Stress Management*, 6, 5-19.
- Piotrowska-Całka E(2010). Effects of a 24-week deep water aerobic training program on cardiovascular fitness. Dept. of Swimming and Life Saving, Jozef Pilsudski University of Physical Education in Warsaw, Poland. *Biol. Sport* 2010;27:95-98

- Ray US, Mukhopadhyaya S, Purkayastha SS, Asnani V, Tomer OS, Prashad R, Thakur L, Selvamurthy W, (2001). Effect of yogic exercises on physical and mental health of young fellowship course trainees. Defence Institute of Physiology and Allied Sciences, Lucknow Road, Delhi-110 054. *Indian J Physiol Pharmacol.* 2001 Jan;45(1):37-53.
- Radak Z., Kaneko .T., Tahara .S., Nakamoto .H., Pucsok .J., Sasvari .M., et al. (2001). Regular exercise improves cognitive function and decrease oxidative damage in rat brain. *Neurochemistry International*, 338(1), 17Y23.
- Rebecca Marson (2012).Why Gymnastics? The Benefits of Gymnastics Training for Kids of All Ages.Crystal Coast Gymnastics in Morehead City. January 30, 2012 posted In: Archives
- Rindermann .H., and Neubauer .A.C., (2004). Processing speed, intelligence, creativity, and school performance: Testing of causal hypotheses using structural equation models a Institut für Psychologie, Otto-von-Guericke-Universita't Magdeburg, Postfach 4120.
- Rosano, C., et al. (2010). Psychomotor speed and functional brain MRI 2 years after completing a physical activity treatment. *Gerontol A Biol Sci Med Sci* 65:639-647.
- Rui Canelas , Mario C Marques , Antonio J Silva , Tiago M Barbosa , David C Sousa, Victor M Reis and Daniel A Marinho (2009). 7 weeks of swimming training are sufficient to enhance sprint performance. *Journal of Sports Science and Medicine* (2009) Suppl. 11, 1-198 <http://www.jssm.org>.
- Rueckert, L., and Grafman, J. (1996). Sustained attention deficits in patients with right frontal lesions. *Neuropsychologia*, 34, 953–963.
- Ruscheweyh R, Flöel A, Krüger K, Willemer C, Winter B, Völker K, Lohmann H, Zitzmann M, Mooren F, Breitenstein C, Knecht S.(2010).Physical activity and memory functions. *Neuroimage.* 2010 Feb 1;49(3):2756-63. doi: 10.1016/j.neuroimage.2009.10.043. Epub 2009 Oct 21.PMID:19853041.

- Sallis ,J.F., McKenzie .T., Koldy .B., Lewis .M., Marshall .S., & Rosengard .P., (1999). Effects of health-related physical education on academic achievement: project SPARK. *Research Quarterly for Exercise and Sport*.
- Sapolsky, R.M. (1996). Why stress is bad for your brain "Science" Vol. 273 no. 5276 pp. 749-750
- Salehe Nornematolahi, Seyed Mahmood Hejazi, Mahmood Soltani and Marzieh Ashkanifar (2012).The effect of aquatic aerobic training on quality of life and job satisfaction in Multiple Sclerosis(MS) patients. *Annals of Biological Research*, 2012, 3 (7):3627-3632. ISSN 0976-1233 CODEN (USA): ABRNBW
- Seied Sajad Hosseini and Hossein Rostamkhany (2011). The effect of aquatic and conventional training on quality of life and mental health of elderly diabetic patients. *American Journal of Scientific Research* ISSN 1450-223X.
- Shaji and Saluja Isha (2009). Comparative Analysis of Plyometric Training Program and Dynamic Stretching on Vertical Jump and Agility in Male Collegiate Basketball Player Dept. of Sports Physiotherapy, Manav Rachna International University, Haryana. *Al Ame en J Med S c i* (2009)2 (1) :3 6 -4 6.
- Sibley BA, Etnier JL.(2003). The relationship between physical activity and cognition in children. *Pediatr Exerc Sci*. 2003;15:243-256.
- Sigmundsson ,H., and Hopkins .B., (2009). Baby swimming: exploring the effects of early intervention on subsequent motor abilities. Blackwell Publishing Ltd, *Child: care, health and development*, 36, 3, 428–430.
- Smith, M.L. & Milner, B. (1981). The role of the right hippocampus in the recall of spatial location. *Neuropsychologia*, 19, 781-795.
- Stampfer, M. J.; Hu, F. B.; Manson, J. E.; Rimm, E. B.; Willett, W. C. (2000). "Primary Prevention of Coronary Heart Disease in Women through Diet and Lifestyle". *New England Journal of Medicine* 343 (1): 16.doi:10.1056 /NEJM200007063430103. PMID 10882764.

- Steven Masley , Richard Roetzheim ,Thomas Gualtieri(2009). Aerobic Exercise Enhances Cognitive Flexibility. *J Clin Psychol Med Settings* (2009) 16:186–193.DOI 10.1007/s10880-009-9159-6.
- Sutoo, D., Akiyama, K. (2003). Regulation of brain function by exercise. "Neurobiology of Disease" 1-14.
- Thase, Michael (2007). "Endorphin Power: Fight Depression With Exercise". everydayhealth.com.
- Thin JM, Brody LT (1998). Aquatic based rehabilitation and training for the elite athlete. *J ortho sports phys.Ther.*1998; 27(1):32-41.
- Tsourlou, T, Benik, A, Dipla, K, Zafeiridis, A, and Kellies, S. (2006). The effects of a twenty-four week aquatic training programme on muscular strength performance in healthy women. *J. Strength Cond Res* 20: p: 811 – 818.
- Tapani Po Yho Nen, Sarianna sipila, Kari I. Keskinen, Arto hautala, Jukka savolainen, and Esko ma" Lkia (2002). Effects of aquatic resistance training on neuromuscular performance in healthy women. *Med. Sci. Sports Exerc.*, Vol.34, No. 12, pp. 2103–2109, 2002.
- Taras H.(2005). Physical activity and student performance at school. *J School Health.* 2005;75:214-218.
- Thompson-Schill, S.L., (2003). Neuroimaging studies of semantic memory: inferring "how" from "where". *Neuropsychologia*, 41,280–292
- Tomas-Carus .P., Häkkinen .A., Gusi .N., Leal .A., Häkkinen .K., Ortega-Alonso .A., (2007). Aquatic training and detraining on fitness and quality of life in fibromyalgia. *Med Sci Sports Exerc* 2007 Jul;39(7):1044-50.
- Tomporowski ,P.D., Davis .C.L., Miller .P.H., Naglieri .J.A., (2008). Exercise and children's intelligence, cognition, and academic achievement. *Educational Psychology Review*, 20, 2, 111-131.

- Triplett NT, Colado JC, Benavent J, Alakhdar Y, Madera J, Gonzalez LM, Tella V (2009). Concentric and impact forces of single-leg jumps in an aquatic environment versus on land. *Med Sci Sports Exerc.* PMID: 19657290 .
- Tseng, Chien-Ning · Gau, Bih-Shya · Lou, Meei-Fang(2011). The effectiveness of exercise on improving cognitive function in older people: a systematic review. *The journal of nursing research : JNR*
- U.S. Department of Health and Human Services (1996). *Physical Activity and Health: A Report of the Surgeon General.* Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion.
- Uysal, N., Tugyan, K., Kayatekin, B.M., Acikgoz, O., Bagriyanik, H.A., Gonenca, S., Ozdemir, D., Aksua, I., Topcu, A., Semin, I. (2005). The effects of regular aerobic exercise in adolescent period on hippocampal neuron density, apoptosis and spatial memory. *'Neuroscience Letters'* 241-245.
- Van Praag ,H., Kempermann .G., Gage .F.H., H; Kempermann .G., Gage .F.H., (1999)."Ontogeny Running increases cell proliferation and neurogenesis in the adult mouse dentate gyrus" (Abstract). *Nature Neuroscience.* 2 (3) : 266–70. doi : 10.1038 / 6368. PMID 10195220.
- Vicente-Rodriguez G, Dorado C, Ara I, Perez-Gomez J, Olmedillas H, Delgado-Guerra S, Calbet JA.(2006) Artistic versus rhythmic gymnastics : effects on bone and muscle mass in young girls. *Int J Sports Med.* 2007 May;28(5):386-93.
- Wael Talaat Nabih Soliman and Nabil Mounir Samy Ragaee (2010). The Effect of Gymnastics' Shows on the Locus of Control and Achievement Movement Level in Gymnastics. *World Journal of Sport Sciences* 3 (3): 168-173, 2010 ISSN 2078-4724 © IDOSI Publications, 2010
- Wechsler, D.(1981).*WAIS –R Manual.* New York: The psychological Corporation.

- Williams ,P.A., Haertel ,E.H., Haertel ,G.D., Walberg ,H.J., The impact of leisure time television watching on school learning: a research synthesis. Am Educ Res J. 1982;19:19-50.
- William M. Denning (2010). Studied the effects of aquatic exercise on physiological and biomechanical responses International Journal of Aquatic Research and Education, 2010, 4(1): 70-80. ©Human Kinetics, Inc.
- Winter B, Breitenstein C, Mooren FC, Voelker K, Fobker M, Lechtermann A, Krueger K, Fromme A, Korsukewitz C, Floel A, Knecht S(2007). High impact running improves learning. Epub 2006 Dec 20.
- Young ,R.J.,(1979). The effect of regular exercise on cognitive functioning and personality. Br J Sports Med. 1979 Sep ;13(3):110-7. PMID : 486882 PMCID:PMC1859756.